
## **How to Activate Tasslock GPS Tracker**






- Step 1: After Completion the wiring, insert sim card and turn the GPS switch on. GPS lights should be towards the sky and GPS should not touch any steel, Iron or magnet.
- Step 2: Install the App, Carefully Put the User ID and Password.
- Step 3: Now Set the Admin Number by, going to app, Click Order > Click Setting Admin Number. Put your personal number and click submit.

## Apps Name is: "Tasslock" for IOS and Android



Using the App and SMS Commands: Make sure your personal phone voice mail is off



Wait 2 to 5 minutes, you can see the live location on mobile app.

Now Text SMS to GPS SIM Number:

Step 1: SOS, A, ADMINNUMBER# (Admin Number= Your personal Phone number)

Step 2: ACCALM, OFF# (Engine start call is Off)

Step 3: SENALM, OFF# (Vibration call is Off)

NOTE: DO NOT PUT ANY SPACE IN TEXT SMS.

After 3 text SMS your GPS setup is done.

## **Important SMS Command List**

SL	Command	Format	Remark
1	Admin Setup	SOS,A,0171XXXXXXX#	0171XXX Is your
			personal number
2	Engine Lock	RELAY,1#	Engine Locked
3	Engine Unlock	RELAY,0#	Engine Unlocked
4	GPS id check	PARAM#	Check reply with id
5	Turn Off Vibration call	SENALM,OFF#	Vibration Call off
6	Turn Off Ignition Call	ACCALM,OFF#	Car Engine on Call is Off

## **Latest SMS command list**

Note: English symbols must be used, if the command setting is correct, reply: OK, if the command is not normal: no reply or the format of the reply command is incorrect

No.	Functional items	command format	Remark
1	address lookup	URL# or 123# or DW#	
2	status query	STATUS#	
3	version query	VERSION#	
4	Query parameter settings	PARAM#	
7	Longitude and latitude position query command	WHERE#	
8	Background server parameter query	SERVER#	
9	restart command	RESET#	
10	Add SOS number	SOS, A, Number 1, Number 2, Number 3 #	SOS, A,01715XXXXX#
11	Delete SOS number	SOS, D, number 1, number 2, number 3 #	
12	Query SOS number	SOS#	
13	Add center number	CENTER,A,Center Number#	The code must be the SOS number to be set as the center number
14	delete center number	CENTER,D#	
15	Heartbeat packet setting interval	HBT, T1, T2# $T1=1 \sim 300 \text{ minutes, ACC ON}$ heartbeat packet upload interval $T2=1 \sim 5 \text{ minutes, ACC OFF heartbeat}$ packet upload interval	
16	Query the heartbeat packet interval	HBT#	
17	GPS data timing sending interval	TIMER, T 1 , T2#  T1= 5-18000 seconds; upload interval in ACC ON state  T2= 5-18000 seconds; upload interval in ACC OFF state	Default: TIMER, 10 , 10 #
18	Query GPS data timing sending interval time	TIMER#	
19	Delay fortification setting	DEFENSE, A# A: 1 ~ 60 minutes, delay time for defense	
20	Query delay arming time	DEFENSE#	

21	GPS into sleep time	SENDS, A# A=0-300 minutes 0 means the GPS is always on 1~300 means the time for the device to go to sleep when it is still	Default: SENDS,3#
22	Query SENSOR to control GPS time	SENDS#	
23	Gasoline control	RELAY, A# A=0/1; 0 is for Unlock Engine, 1 is for Lock engine	Only the SOS number authorized
24	Query the fuel-electric control status	RELAY#	
25	Turn on the vibration alarm setting	SENALM, A, M# A=ON M=O ~ 2 ; Alarm reporting method, O only GPRS , 1 SMS+GPRS , 2 GPRS+SMS+CALL ;	Default: SENALM,ON,3#
26	Turn off vibration alarm	SENALM,OFF#	
27	Query the vibration alarm setting parameters	SENALM#	
28	Turn on the power failure alarm setting	POWERALM, A ,M, T1, T2, # A=ON M=O ~ 2 ; O GPRS only , 1 SMS+GPRS , 2 GPRS+SMS+CALL T1=2 ~ 60 seconds; power failure detection time T2=1-3 0 0 seconds; minimum charging time	Default: POWERALM,ON,3#
29	Turn off power failure alarm	POWERALM,OFF#	
30	Query the power failure alarm status	POWERALM#	
31	Turn on the low battery alarm setting	BATALM, A, M# A=ON	
32	Turn off the low battery alarm setting	BATALM,OFF#	
33	Query the low battery alarm status	BATALM#	
34	Turn on the displacement alarm setting	MOVING, A, R, M# A=ON $R=100 \sim 1000 \text{ ;Movement radius}$ $M=0 \sim 2 \text{ ; 0 GPRS only , 1}$ $SMS+GPRS \text{ ; 2 GPRS}+SMS+CALL}$	
35	Turn Off Displacement Alarm	MOVING,OFF#	

36	Query the displacement setting status	MOVING#	
37	Turn on overspeed alarm	SPEED, A, B, C, M# A=ON B=5 $^{\sim}$ 600 seconds; time range C=1 $^{\sim}$ 255km/h; overspeed threshold range M=0 $^{\sim}$ 1; Alarm reporting method, O only GPRS, 1 SMS+GPRS;	
38	Turn off overspeed alarm	SPEED,OFF#	
39	Query the overspeed setting status	SPEED#	
40	Telephone alarm settings	CALLSET # query times CALLSET ,A# A=1~5; Number of calls to the police (for all alarms)	Default: CALLSET ,1#
41	Vibration Sensitivity Settings	SENSORRANGE# query sensitivity SENSORRANGE, A# set the sensitivity A = 1~8; The default is the optimal value. If there is no problem, it is not recommended for users to set it by themselves.	Default: SENSORRANGE ,7#
42	ACC alarm setting	MOVING, A, B , C $\#$ A=ON B =0 $\sim$ 2 ; O GPRS only , 1 SMS+GPRS ; 2 GPRS+SMS+CALL C = 1 $^{\sim}$ 3; 1 means ACC ON alarm OFF does not report 2 means ACC OFF alarm ON does not report 3 means ACC ON + ACC OFF alarm	Default: ACCALM,ON,3,1#
43	Restrictions on oil and electricity cut-off text messages	RLYSMSLIMTI, A# A=ON ON means that the oil and electricity must be the central number to be disconnected OFF means there is no restriction on oil and electricity cut off	Default: RLYSMSLIMTI,OFF#
44	Vibration detection time	SENSOR, <a>[,B][,C]# <math display="block">A=10 \sim 300 \text{ seconds, detection time}</math> <math display="block">B=10 \sim 300 \text{ seconds, alarm delay in}</math> automatic arming mode</a>	Default: SENSOR, 10, 2, 300#

		C=1-300 minutes, vibration alarm interval	
		SENSOR# query command	
		RLYMD, A #	
		A=0~1	
		0 means : fuel and electricity cut-	
		off conditions 1. GPS sleeps and	
		immediately cuts off fuel and	
		electricity 2. GPS positioning and	
		speed <= 20KM/H immediately cuts	
		off fuel and electricity 3. GPS is	
	not positioned or positione		
		the speed is greater than 20KM/H.	
		Wait until the GPS is positioned	
		and the speed is <=20KM/H to	
		execute the fuel cut-off command	
45	Fuel-electric mode	execute the fact out off comment	Default: RLYMD, 0 #
		1 means: cut off fuel and	
		electricity conditions 1. GPS is	
		not positioned or sleep immediately	
		cut off fuel and electricity 2. GPS	
		positioning and speed <= 20KM/H	
		immediately cut off fuel and	
		electricity 3. GPS positioning and	
		speed is greater than 20KM/H do not	
		immediately cut off fuel and	
		electricity Wait until the GPS	
		speed <= 20KM/H to execute the fuel	
		cut-off command	

Thank you for choosing Tasslock. Helpline Email <u>tasslock@yahoo.com</u>